



INNOVATIVE AND ERGONOMICALLY DESIGNED

Anew Breed of Tools

We are proud to present a new breed of products, instantly recognized throughout the World. For more than a century Caterpillar® has been a pioneer in construction, mining and technology.

Now we have pioneered a new breed of Cat[®] products, which have been developed from the ground up.

Except Cat no other hardliner brand is year after year found in the Global Top 100. Also no other hardliner brand has such bandwidth and visibility with constant presence reinforcing the brand's values everywhere in the world.

In product categories that have remained stagnant, Cat has been able to raise market shares by offering high quality, best-in-class products, that continually reinforce consumer's expectations, of what it means to be part of the Cat brand.

Our new tools incorporate state-of-the-art features and they are tested with the latest consumer insights

in mind. The result is a rugged, durable and ergonomically well-designed line of tools, built to exceed all expectations for superior performance, and which enables both professionals and private users to work highly efficient.

They are way more than just the tools you need – these are the tools you WANT!

Not only our new garden and construction tools, but also the knives and multi-tools and all other products in this catalogue as well, not only speak to professionals who rely on their equipment every day, but also to the homeowner who wants the best and most durable tools money can buy.

Carrying the name of one of the strongest brands in the world, which is directly associated with key industrial and commercial grade attributes such as strength, power and durability - especially in harsh environments, all products are developed from the most robust materials available, combined with practical innovation and ergonomic design.

They incorporate state-of-the-art features and are rigorously tested for quality and duration. Many of the advanced design features are now patented.

Our lights and mobile accessories are high quality products with leading edge technology that meets the highest professional standards. Manufactured in supreme quality materials, they are developed to meet stringent requirements, without compromises.

They offer cutting edge design and high functionality with solid performance in a variety of active situations.

Our bags and workwear offer maximum strength and durability. They are designed to perform in the toughest conditions on or off the job site and meet the highest demands of professionals, by being manufactured from extremely resistant textiles and polyester fabrics.

The Watches offer a fitting timekeeper for the adventurous person. With a casual and powerful design and the philosophy behind the brand, which always has stood for cool resilience in the face of extreme circumstances, these watches demonstrate that innovative design and timeless style are not limited to either the indoors or the outdoors.

All our products get the job done!




5

LET'S DO THE WORK.™















Cat Tools | K Series

Patented Headto-Shaft Connection

> Heat treated, military grade carbon steel blade



THE LAST TOOL YOU WILL EVER BUY

The K Series

With its e-Fiberglass Shaft, our K Series has the strongest shaft in the world. With a breaking strength of 272 kg, this series is superior to other Garden and Construction Tools.

Modern and innovative solutions, high-quality materials, excellent design, reliability and usefulness. With these long-lived Cat Garden and Construction Tools, you will accomplish your task quickly, efficiently and professionally. For more than a century Caterpillar has been a pioneer in construction machinery.

Now we have pioneered a new breed of tools.

The Cat Tools K Series is developed from the most robust materials available, combined with practical innovation and ergonomic design. Our tools incorporate state-of-the-art features and are rigorously tested for quality.

▶6

CAT

K10-100

Cat K-Series: Shovel, **Long Handle, Round Point**

| Total length: | 151,00 cm |
|---------------|-----------|
| Shaft length: | 121,00 cm |
| Blade width: | 21,50 cm |
| Blade length: | 30,00 cm |
| Weight: | 2,61 kg |

Product features:

- Multi-Hand Position, Comfort Grip
- Non-conductive Fiberglass Handle
- Nearly Indestructible Handle -**Rated Strongest in Class**
- » Patented Head/Handle Connection. Collar and Lower "Lift" Position
- » Heat Treated Extended Socket
- >> Wide Step for Stable Foot Position
- Military Grade, Heat Treated Hardened Steel
- >> Beveled Sharpened Blade Edge



Cat K-Series: Shovel. D-Handle, Round Point

| Total length: | 110,00 cm |
|---------------|-----------|
| Shaft length: | 80,00 cm |
| Blade width: | 21,50 cm |
| Blade length: | 30,00 cm |
| Weight: | 2,61 kg |

Product features:

- >> Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- » Non-conductive Fiberglass Handle
- Nearly Indestructible Handle -Rated Strongest in Class
- » Patented Head/Handle Connection. Collar and Lower "Lift" Position
- >> Heat Treated Extended Socket
- >> Wide Step for Stable Foot Position
- Military Grade, Heat Treated Hardened Steel
- Beveled Sharpened Blade Edge



K10-103

Cat K-Series: Shovel. **Long Handle, Square Point**

| Total length: | 151,00 cm |
|---------------|-----------|
| Shaft length: | 122,00 cm |
| Blade width: | 23,50 cm |
| Blade length: | 29,00 cm |
| Weight: | 2,71 kg |

Product features:

- Multi-Hand Position, Comfort Grip
- » Non-conductive Fiberglass Handle
- Nearly Indestructible Handle -Rated Strongest in Class
- Patented Head/Handle Connection. Collar and Lower "Lift" Position
- Heat Treated Extended Socket
- Standard Forward-Turned Step
- Military Grade, Heat Treated Hardened Steel
- Beveled Sharpened Blade Edge

K10-104

Cat K-Series: Shovel. **D-Handle, Square Point**

| Total length: | 110,00 cm |
|---------------|-----------|
| Shaft length: | 81,00 cm |
| Blade width: | 24,00 cm |
| Blade length: | 29,00 cm |
| Weight: | 2,56 kg |

Product features:

- Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- Non-conductive Fiberglass Handle
- Nearly Indestructible Handle -Rated Strongest in Class
- » Patented Head/Handle Connection. Collar and Lower "Lift" Position
- Heat Treated Extended Socket
- Standard Forward-Turned Step
- Military Grade, Heat Treated Hardened Steel
- Beveled Sharpened Blade Edge



Cat K-Series: Garden Spade, D-Handle

| Total length: | 110,00 cm |
|---------------|-----------|
| Shaft length: | 82,00 cm |
| Blade width: | 17,50 cm |
| Blade length: | 28,00 cm |
| Weight: | 2,30 kg |

Product features:

- >> Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- » Non-conductive Fiberglass Handle
- Nearly Indestructible Handle -Rated Strongest in Class
- » Patented Head/Handle Connection. Collar and Lower "Lift" Position
- >> Heat Treated Extended Socket
- >> Wide Step for Stable Foot Position
- Military Grade, Heat Treated Hardened Steel
- Beveled Sharpened Blade Edge

K10-106

Cat K-Series: D-Handle. Drain Spade

| Total length: | 124,00 cm |
|---------------|-----------|
| Shaft length: | 83,00 cm |
| Blade width: | 11,50 cm |
| Blade length: | 41,00 cm |
| Weight: | 2,30 kg |

- >> Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- Non-conductive Fiberglass Handle
- » Nearly Indestructible Handle -Rated Strongest in Class
- » Patented Head/Handle Connection. Collar and Lower "Lift" Position
- Standard Forward-Turned Step
- Beveled Sharpened Blade Edge







.............

K11-101

Cat K-Series: Shovel, 4" Trench

Total length: 145,00 cm 117.50 cm **Shaft length:** 10,50 cm Blade width: Blade length: 27,50 cm Weight: 1,94 kg

Product features:

Multi-Hand Position. Comfort Grip

Patented Head/Handle

Connection, Collar and

Lower "Lift" Position

Standard Forward-Turned Step

Military Grade, Heat Treated

» Beveled Sharpened Blade Edge

› Heat Treated Socket

Hardened Steel

- Non-conductive Fiberglass Handle
- Nearly Indestructible Handle -**Rated Strongest in Class**

 - Military Grade, Heat Treated

K13-100

Cat K-Series: **Post Hole Digger**

| Total length: | 156,00 cm |
|---------------|-----------|
| Shaft length: | 133,00 cm |
| Blade width: | 12,50 cm |
| Blade length: | 23,00 cm |
| Weight: | 4,12 kg |

Product features:

- Multi-Hand Position. **Comfort Grips**
- Non-conductive Fiberglass Handles
- Nearly Indestructible Handle -**Rated Strongest in Class**
- Patented Head/Handle Connection
- Hardened Steel
- Beveled Sharpened Blade Edges

K16-150

Cat K-Series: Mortar Hoe, Forged

| Total length: | 149,00 cm |
|---------------|-----------|
| Shaft length: | 133,50 cm |
| Blade width: | 25,00 cm |
| Blade length: | 15,50 cm |
| Weight: | 1,89 kg |

Product features:

- Multi-Hand Position. Comfort Grip
- Non-conductive Fiberglass Handle
- Nearly Indestructible Handle Rated Strongest in Class
- Patented Head/Handle Connection
- Military Grade, Hardened Steel
- Rolled Forged Mortar with Pattern Head

K17-150

Cat K-Series: Scraper, Forged

| Total length: | 155,50 cm | |
|---------------|-----------|-----|
| Shaft length: | 143,00 cm | COT |
| Blade width: | 18,00 cm | 1 |
| Blade length: | 12,50 cm | |
| Weight: | 1,54 kg | |

Product features:

- Multi-Hand Position. Comfort Grip
- >> Non-conductive Fiberglass Handle
- » Nearly Indestructible Handle -Rated Strongest in Class
- Patented Head/Handle Connection
- » Military Grade, Hardened Steel
- » Rolled Forged Scraper with Pattern Head
- >> Perfect for pecking holes for ice fishing

K15-150

Cat K-Series: Bow Rake, 16 Tine

| Total length: | 155,00 cm |
|------------------|-----------|
| Shaft length: | 147,00 cm |
| Tine head width: | 42,00 cm |
| Tine length: | 8,00 cm |
| Weight: | 1,91 kg |

Product features:

- Multi-Hand Position Comfort Grip
- Non-conductive Fiberglass Handle
- Nearly Indestructible Handle -Rated Strongest in Class
- Patented Head/Handle Connection
- Military Grade, Hardened Steel
- Rolled Forged Head with 16 Tines

K19-150

Cat K-Series: Leaf and Lawn Rake, 19 Tines

| Total length: | 171,00 cm |
|-------------------|-----------|
| Shaft length: | 141,00 cm |
| Tine head width: | 60,00 cm |
| Tine head length: | 30,00 cm |
| Weight: | 1,27 kg |

Product features:

- >> Multi-position Comfort Grip
- » Non-conductive Fiberglass Handle
- Nearly Indestructible Handle -Rated Strongest in Class
- 3 19 pcs continuous Spring Steel Tines with Bolt-Thru Assembly

K19-151

Cat K-Series: Lawn Rake, 26 Tines

| Total length: | 163,00 cm |
|-------------------|-----------|
| Shaft length: | 133,00 cm |
| Tine head width: | 43,00 cm |
| Tine head length: | 16,00 cm |
| Weight: | 0,95 kg |

- >> Multi-position Comfort Grip
- » Non-conductive Fiberglass Handle
- Nearly Indestructible Handle -Rated Strongest in Class
- 26 pcs Wide Spread Spring Steel Tines dig to the Base of the Roots









WORK LIKE A PRO IN YOUR HOME GARDEN

The J Series **Garden Tools**

Strength, durability and ergonomic design are the keywords in our J Series Garden Tools for the quality-conscious consumer.

you will ever need. Durability through high-quality materials, excellent design, reliability and usefulness.

With these long-lived products, you will have the last tool With these long-lived Cat Garden Tools, you will accomplish every task quickly, efficiently and professionally.

J10-200

Cat J-Series: Shovel, **Long Handle, Round Point**

Total length: 150,00 cm 119,00 cm **Shaft length:** Blade width: 22,50 cm 31,00 cm Blade length: Weight: 2,61 kg

Product features:

- Multi-Hand Position, Comfort Grip
- >> Flat-Sided Lateral Control Fiberglass Handle
- >> Head/Handle Connection with Extended Steel Collar
- >> Heat Treated Extended Socket
- >> Wide Step for Stable Foot Position
- » Military Grade, Heat Treated Hardened Steel
- >> Beveled Sharpened Blade Edge

J10-202

Cat J-Series: Shovel. **D-Handle, Round Point**

| Total length: | 116,00 cm |
|---------------|-----------|
| Shaft length: | 84,00 cm |
| Blade width: | 22,50 cm |
| Blade length: | 31,00 cm |
| Weight: | 2,55 kg |

Product features:

- >> Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- >> Flat-Sided Lateral Control Fiberglass Handle
- Head/Handle Connection with Extended Steel Collar
- >> Heat Treated Extended Socket
- » Wide Step for Stable Foot Position
- » Military Grade, Heat Treated Hardened Steel
- » Beveled Sharpened Blade Edge



Cat J-Series: Shovel, **Long Handle, Square Point**

| Total length: | 150,00 cm |
|---------------|-----------|
| Shaft length: | 120,50 cm |
| Blade width: | 24,50 cm |
| Blade length: | 29,50 cm |
| Weight: | 2,82 kg |

Product features:

- Multi-Hand Position, Comfort Grip
- Flat-Sided Lateral Control Fiberglass Handle
- Head/Handle Connection with Extended Steel Collar
- Heat Treated Extended Socket
- Standard Forward-Turned Step
- Military Grade, Heat Treated Hardened Steel
- Beveled Sharpened Blade Edge



Cat J-Series: Shovel, **D-Handle, Square Point**

| Total length: | 115,00 cm |
|---------------|-----------|
| Shaft length: | 85,50 cm |
| Blade width: | 24,50 cm |
| Blade length: | 29,50 cm |
| Weight: | 2,82 kg |

Product features:

- Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- Flat-Sided Lateral Control Fiberglass Handle
- › Head/Handle Connection with Extended Steel Collar
- >> Heat Treated Extended Socket
- Standard Forward-Turned Step
- Military Grade, Heat Treated Hardened Steel
- » Beveled Sharpened Blade Edge



Cat J-Series: Garden Spade, D-Handle

| Total length: | 115,00 cm |
|---------------|-----------|
| Shaft length: | 86,50 cm |
| Blade width: | 17,50 cm |
| Blade length: | 28,50 cm |
| Weight: | 2,42 kg |
| | _,g |

Product features:

- >> Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- >> Flat-Sided Lateral Control Fiberglass Handle
- >> Head/Handle Connection with Extended Steel Collar
- >> Heat Treated Extended Socket
- Standard Forward-Turned Step
- Military Grade, Heat Treated Hardened Steel
- Beveled Sharpened Blade Edge

J10-206

Cat J-Series: **Drain Spade, D-Handle**

| Total length: | 127,00 cm |
|---------------|-----------|
| Shaft length: | 86,00 cm |
| Blade width: | 14,00 cm |
| Blade length: | 41,00 cm |
| Weight: | 2,42 kg |

- >> Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- >> Flat-Sided Lateral Control Fiberglass Handle
- >> Head/Handle Connection with Extended Steel Collar
- >> Heat Treated Extended Socket
- Standard Forward-Turned Step
- Military Grade, Heat Treated Hardened Steel
- » Beveled Sharpened Blade Edge









J12-201

Cat J-Series: Aluminum Scoop, D-Handle, DH12

Total length: 120,00 cm

Shaft length: 72,00 cm

Blade width: 37,50 cm

Blade length: 48,00 cm

Weight: 2,42 kg

Product features:

- » Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- Flat-Sided Lateral Control Fiberglass Handle
- Head/Handle Connection with Extended Collar
- >> Aluminum Socket
- › Heavy Gauge Aluminum Pattern Blade



Cat J-Series: Aluminum Scoop, D-Handle, DH8

Total length: 115,00 cm

Shaft length: 71,50 cm

Blade width: 34,00 cm

Blade length: 43,50 cm

Weight: 2,17 kg

Product features:

- Double-Wide Comfort D-Grip Allows Multi-Hand Positions
- Flat-Sided Lateral Control Fiberglass Handle
- » Head/Handle Connection with Extended Collar
- » Aluminum Socket
- Heavy Gauge Aluminum Pattern Blade





J17-250

Cat J-Series: Bow Rake, Forged, 16 Tines

Total length: 152,00 cm

Shaft length: 147,00 cm

Blade width: 42,00 cm

Blade length: 8,00 cm

Weight: 2,25 kg

Product features:

- Multi-Hand Position Comfort Grip
- Flat-Sided Lateral Control Fiberglass Handle
- Head/Handle Connection with Extended Steel Ferrule
- Military Grade, Hardened Steel, 1pc Rolled Forged Head, 16 Tines



16







Blade made of high quality hardened steel, extremely durable, firmly connected to the handle

A suitably shaped shaft made of composite material, reinforced with fiberglass, ensures shock absorption

The soft, non-slip SAFETOUCH™ surface covers a considerable length of the shaft and provides a secure grip and ease of use **STRIKE BACK LIKE A JEDI**

The J Series Striking Tools

Axes, hammers, mauls and picks with a sublime ergonomic grip - produced in highest class quality and durable materials.

New innovative solutions, high-quality materials, excellent design, reliability and usefulness. With these long-lived Cat Striking Tools, you will accomplish your task quickly, efficiently and professionally.

The Cat Striking Tools Line is developed from the most robust materials available, combined with practical innovation and ergonomic design. Our tools incorporate state-of-the-art features and are rigorously tested for quality.

21

J25-240

Cat J-Series: Axe Blade Sharpener, Ergo, Universal

Packaging:

Blister

Product features:

- >> For sharpening axes, knives etc.
- Made of durable, impact-resistant polycarbonate
- » The ergonomic design offers a secure, convenient and safe grip of the sharpener
- >> The base with rubberized feet ensures stability of the sharpener during sharpening
- >> The sharpening wheel made from specially selected blend of silicon, a material for highly demanding applications



J25-201

Cat J-Series: Universal Axe, U600, Ergo, 1.25lb

| Total length: | 26,00 cm |
|---------------|----------|
| Shaft length: | 21,00 cm |
| Head width: | 12,5 cm |
| Weight: | 0,6 kg |

Product features:

- Universal axe, ideal for use during camps, bivouacs, works as a survival tool
- Blade made of high quality inductionhardened steel, extremely durable, deeply welded with the shaft
- Appropriately shaped handle made of a fiberglass-reinforced composite. provides cushioning at impact
- » A soft, non-slip SAFETOUCH™ surface, covering a substantial length of the shaft provides a sure grip and comfort of use
- Perfect balance of the tool provides high ergonomics and comfort
- Axe can safely and securely be attached to a belt or backpack

J25-202

Cat J-Series: Universal Axe. U1100, Ergo, 2.5lb

| Total length: | 45,00 cm |
|---------------|----------|
| Shaft length: | 39,50 cm |
| Head width: | 15,50 cm |
| Weight: | 1,1 kg |

Product features:

- >> Strong cutting axe, recommended for carpentry, gardening, building and cleaning jobs
- Blade made of high quality inductionhardened steel, extremely durable, deeply welded with the handle
- Appropriately shaped handle made of a fiberglass-reinforced composite. provides cushioning at impact
- » A soft, non-slip SAFETOUCH™ surface, covering a substantial length of the shaft provides a sure grip and comfort of use
- Perfect balance of the tool provides high ergonomics and comfort
- Multifunctional cover guarantees safe handling, storage of the axe and sharpener

J25-226

Cat J-Series: Splitting Axe, C1600, Ergo, 3.5lb

| Total length: | 61,50 cm |
|---------------|----------|
| Shaft length: | 54,50 cm |
| Head width: | 17,00 cm |
| Weight: | 1,6 kg |

Product features:

- Splitting axe designed for medium-sized tree trunks with a diameter of more than 20 cm
- Meets the requirements of farmers, gardeners, construction and forestry workers worldwide
- Blade made of high quality inductionhardened steel, extremely durable, deeply welded with the handle
- Unique head shape suitable for splitting wood
- Appropriately shaped handle made of a fiberglass-reinforced composite, provides cushioning at impact
- » A soft, non-slip SAFETOUCH™ surface, covering a substantial length of the shaft provides a sure grip and comfort of use
- Multifunctional cover guarantees safe handling, storage of the axe and sharpener

J25-227

Cat J-Series: Splitting Axe, C2000, Ergo, 4.5lb

| Total length: | 73,50 cm |
|---------------|----------|
| Shaft length: | 67,00 cm |
| Head width: | 17,0 cm |
| Weight: | 2,0 kg |

Product features:

- Splitting axe designed for medium-sized tree trunks with a diameter of more than 25 cm
- Meets the requirements of farmers, gardeners, construction and forestry workers worldwide
- Blade made of high quality inductionhardened steel, extremely durable. deeply welded with the handle
- Unique head shape suitable for splitting wood

0

- Appropriately shaped handle made of a fiberglass-reinforced composite, provides cushioning at impact
- A soft, non-slip SAFETOUCH™ surface, covering a substantial length of the shaft provides a sure grip and comfort of use
- Multifunctional cover guarantees safe handling, storage of the axe and sharpener

J25-228

Cat J-Series: Splitting Axe, C2500, Ergo, 5.5lb

| Total length: | 73,50 cm |
|---------------|----------|
| Shaft length: | 67,00 cm |
| Head width: | 20,00 cm |
| Weight: | 2,5 kg |

Product features:

- >> The ideal axe for splitting trunks with a diameter of more than 30 cm
- Intended for advanced users and professionals
- Blade made of high quality inductionhardened steel, extremely durable, deeply welded with the handle
- Unique head shape suitable for splitting wood
- Appropriately shaped handle made of a fiberglass-reinforced composite, provides cushioning at impact
- » A soft, non-slip SAFETOUCH™ surface, covering a substantial length of the shaft provides a sure grip and comfort of use
- Multifunctional cover guarantees safe handling, storage of the axe and sharpener



▶ 20



J25-300

Cat J-Series: Pick Mattock, 5lb

| Total length: | 84,00 cm |
|---------------|----------|
| Shaft length: | 81,50 cm |
| Head width: | 48,00 cm |
| Head depth: | 9,50 cm |
| Weight: | 3,58 kg |

Product features:

- » Mattock blade for digging, planting and trenching
- » Pick point for easy penetration when chiseling, punching and cracking the surface
- >> Extended overstrike zone prevents handle breakage
- >> Ovular solid core fiberglass construction with more glass content for greater strength
- Molded handle shaft allows easy sliding of upper hand
- Specially textured TPR grip zone: Comfortable grip while channeling moisture and sweat away from hands
- Multi-position and anti-slip safety stop

J25-250

Cat J-Series: Maul, 6lb

| Total length: | 86,00 cm |
|---------------|----------|
| Shaft length: | 77,80 cm |
| Head width: | 22,00 cm |
| Head depth: | 5,30 cm |
| Weight: | 2,72 kg |

Product features:

- >> Head drop-forged, heat treated, full weight
- Heat-treated sharp blade
- » Polished striking face with chamfered edge
- Extended overstrike zone prevents handle breakage
- Ovular solid core fiberglass construction with more glass content for greater strength
- Molded handle shaft allows easy sliding of upper hand
- Specially textured TPR grip zone: Comfortable grip while channeling moisture and sweat away from hands
- >> Multi-position and anti-slip safety stop



Cat J-Series: Engineer Hammer, 4lb

| Total length: | 40,50 cm |
|---------------|----------|
| Shaft length: | 36,50 cm |
| Head width: | 13,00 cm |
| Head depth: | 5,00 cm |
| Weight: | 2,10 kg |

Product features:

- Head drop-forged, heat treated, full weight
- Polished striking face with chamfered edge
- >> Extended overstrike zone prevents handle breakage
- Ovular solid core fiberglass construction with more glass content for greater strength
- Molded handle shaft allows easy sliding of upper hand
- Specially textured TPR grip zone: Comfortable grip while channeling moisture and sweat away from hands
- Multi-position and anti-slip safety stop

J25-108

Cat J-Series: Sledge Hammer, 8lb

| Total length: | 84,20 cm |
|---------------|----------|
| Shaft length: | 78,50 cm |
| Head width: | 16,20 cm |
| Head depth: | 6,00 cm |
| Weight: | 4,70 kg |
| | |

Product features:

- >> Head drop-forged, heat treated, full weight
- Polished striking face with chamfered edge
- Extended overstrike zone prevents handle breakage
- Ovular solid core fiberglass construction with more glass content for greater strength
- Molded handle shaft allows easy sliding of upper hand
- Specially textured TPR grip zone: Comfortable grip while channeling moisture and sweat away from hands
- Multi-position and anti-slip safety stop

J25-110

Cat J-Series: Sledge Hammer, 10lb

| Total length: | 84,/U cm |
|---------------|----------|
| Shaft length: | 78,50 cm |
| Head width: | 16,50 cm |
| Head depth: | 6,50 cm |
| Weight: | 5,60 kg |

- >> Head drop-forged, heat treated, full weight
- Polished striking face with chamfered edge
- >> Extended overstrike zone prevents handle breakage
- Ovular solid core fiberglass construction with more glass content for greater strength
- >> Molded handle shaft allows easy sliding of upper hand
- Specially textured TPR grip zone: Comfortable grip while channeling moisture and sweat away from hands
- Multi-position and anti-slip safety stop













YOUR FEET WILL THANK YOU

The H Series

Patented shovel, developed to give you more power.

A shovel is not just a shovel! This series has a blade/shaft You can now use your complete body weight design with new functions. Transfer 75% more power compared to ordinary shovels with the new step function.

Cat Tools | H Series | Shovels

CAT

H10-300

Cat H-Series: Shovel, **Long Handle, Round Point**

| Total length: | 150,00 cm |
|---------------|-----------|
| Shaft length: | 130,00 cm |
| Blade width: | 30,00 cm |
| Blade length: | 20,00 cm |
| Weight: | 2,90 kg |

Product features:

- >> Multi-Hand Position TPR Comfort Grip
- Flat-Sided Lateral Control Fiberglass Handle
- » Head/Handle Dual Rivet Socket Assembly
- » Heat Treated Double Extended Socket with Patented Power Ridge
- Patented "Full Foot Step" for Stable Foot Position
- » Military Grade, Heat Treated Hardened Steel
- >> Beveled Sharpened Blade Edge

H10-302

Cat H-Series: Shovel, **D-Handle, Round Point**


| Total length: | 115,00 cm |
|---------------|-----------|
| Shaft length: | 95,00 cm |
| Blade width: | 30,00 cm |
| Blade length: | 20,00 cm |
| Weight: | 2,70 kg |

Product features:

- » Multi-Hand Position TPR Comfort D-Grip
- » Flat-Sided Lateral Control Fiberglass Handle
- » Head/Handle Dual Rivet Socket Assembly
- » Heat Treated Double Extended Socket with Patented Power Ridge
- Patented "Full Foot Step" for Stable Foot Position
- » Military Grade, Heat Treated Hardened Steel
- » Beveled Sharpened Blade Edge









Ordinary Shovel

Very small lateral step surface











MOVE MORE... IN LESS TIME...

Wheelbarrows and Load-Shift Hand Truck

A new standard in wheelbarrows for the construction industry.

With a patented design and all the best from the Cat Machines as well as a superior load capacity of up to 544 kg, the wheelbarrows from Cat set a new standard. Completely new grip functions ensure that you lift

ergonomically correct every time.

The patented sink and puncture-free low-profile tires allow you to take the wheelbarrow anywhere, regardless of terrain or subsoil.

X22-001


Cat K-Series: Wheelbarrow, 1.1mm Steel Tray

| | • 1001 114 |
|------------------------|---------------|
| Load Capacity: | 544 kg |
| Load Volume: | Liquid 100 L |
| | Heaping 170 L |
| Weight: | 39,00 kg |
| Length total: | 159 cm |
| Height total: | 75 cm |
| Width total (Handles): | 80 cm |
| Length Tray: | 97 cm |
| Width Tray: | 65 cm |
| Material: | Steel |
| Tire: | Flat Free |

Product features:

- >> Over 1/2 Ton Capacity 4x jobsite efficiency
- Heavy Gauge 1.1 mm Steel Tray with 544 kg Load Capacity
- Anti-Skid Nose Guard
- Flat-Free, Sink Resistant, extra-wide wheel provides the maneuverability of a traditional tire with the stability of 2-wheels.
- Innovative, 2-Position-Grips allow comfortable walking and easier dumping of the load
- >> Ships in ONE single Box

Patented low-profile tires that are sink and puncture-free, developed in collaboration with Caterpillar Incorporated. Easy maneuvering with one tire with stability as two











K22-000

Cat K-Series: Wheelbarrow, 1.1mm Steel Tray

Load Capacity: 500 kg

Load Volume: Liquid 100 L
Heaping 170 L

Weight: 24,49 kg

Length total: 159 cm

Height total: 75 cm

Width total (Handles): 80 cm

Length Tray: 97 cm

Width Tray: 65 cm

Material: Steel

Tire: Flat Free

Product features:

- >> 1/2 Ton Capacity 3x the jobsite efficiency
- » Heavy Gauge 1.1mm Steel Tray
- Extra Wide Flat Free Tire Improved Stability and Maneuverability
- >> 2-Position-Grips Lift and Discharge the load
- Stabilizer Feet Adjust on uneven surfaces
- Anti-Skid Nose Guard Reduced skidding while discharging
- Solid axle without any parts to maintain
- » Steel Beam Undercarriage for added support











▶30





LET'S DO THE WORK.™

Cat Tools | J Series | Wheelbarrows



J22-150

Cat J-Series:

Wheelbarrow, 1.1mm Steel Tray

Load Capacity: 250 kg
Load Volume: Liquid 100 L

Heaping 170 L

Pneumatic

Weight:18,14 kgLength total:147 cmHeight total:73 cm

Width total (Tray): 65 cm

Length Tray: 97 cm

Material: Steel


Product features:

Tire:

>> 1/4 Ton Capacity - 2x the jobsite efficiency

Heavy Gauge, 1.1 mm Steel Tray

- 3 4-Ply Pneumatic Tire with Sink Resistant Tread Pattern
- » Comfortable Ergo Grips
- » Steel, Anti-Tip Undercarriage













35





CLEAN IT ALL AND MAKE IT SHINE!

Pressure Washer

Cat has engineered a new breed of pressure washers, which are setting a new standard in the cleaning industry.

Optimizing unique design and technological advancements, creating a new standard in the pressure washer industry. The product line carries the Caterpillar legacy through the use of robust material combined with practical innovation and ergonomic design, driven through the best-in-class consumer insights and feedback.

Strong enough for the toughest jobs, Cat Pressure Washers are optimized to clean quickly and effectively. Unlike other machines with artificially high (but useless) PSI figures, our focus is on higher water flow WITH pressure to get through the toughest jobs.

Our CNC machined aluminum 5-Piston pump has 20% less wear per piston and 30% less vibration, resulting in more stable and quieter performance.

Our maintenance free motors are calibrated to run below their maximum amperage (unlike other manufacturers) in order to prolong motor life and avoid tripped fuses. Quick set up, intuitive use, easy to put away and handy to transport – just what you need to get the job done. Power and high flow performance in a compact form factor. No unnecessary wheels, handles or brushes to break or wear.

CAT ELECTRIC PRESSURE WASHER



135-VE54

Cat Electric Pressure Washer, 135 bar

Product features:

- y 4 Versatile Spray Nozzles (0°, 15°, 25°, 40°) for tackling light, medium and heavy cleaning
- 600 ml Foam Blaster with Foam Nozzle for removing dirt and grime
- A powerful 13 Amp motor and a 5-piston pump are generating up to 135 bar / approx. 1960 psi for maximum cleaning power
- >> 5 m / 16.4 ft high pressure rubber hose
- >> 5 m / 16.4 ft foot electric cable with GFCI protection
- Metal gun and cleaning rod
- Storage compartment for all accessories
- Cleaning needle for Spray Nozzles

Stated Values according to EN 60335-2-79:

| Vibration Value for Grip: | <2,5 m/s ² |
|--------------------------------|-----------------------|
| Uncertainty K: | 0,6 m/s ² |
| Noise Level LpA: | 93,5 dB(<i>A</i> |
| Uncertainty Kpa: | 3 dB(<i>A</i> |
| Noise Level + Uncertainty KWa: | 95 dB(<i>A</i> |



Dimensions:

| ength (excl. Accessories): | approx. 480 mm |
|-----------------------------|----------------|
| Vidth (excl. Accessories): | 375 mm |
| leight: | 385 mm |
| Veight (incl. Accessories): | 10,6 kg |

Performance Data:

| Peak Pressure: | 82 bar |
|------------------------|------------------|
| | approx. 1190 psi |
| Max. allowed Pressure: | 135 bar |
| | 1960 psi |
| Flow Rate: | 6,5 L/M |
| Max. Flow Rate: | 7,5 L/M |

Water Supply / Cold Water:

| Max. Feed Pressure: | 12 bar |
|-----------------------------|-----------------|
| | approx. 175 psi |
| Max. Feed Temperature: | 40° C |
| | 104° F |
| Min. Feed Water Amount: | 8 L/Mir |
| Inlet size EU /Garden hose: | BSP 3/4" 14 TPI |
| Outlet size: | M22x15 mm |
| | |


Electrical Connection:

| Voltage: | 220 V |
|----------------------|------------|
| Power / Motor: | 1.800 Watt |
| Fuse: | 10 A |
| Class of Protection: | II / IPX5 |
| | |









EASY LIFT, EASY REPAIR

Rolling Utility Seat, Jack Lift and Stand

This is the premier lineup of Cat garage equipment, designed to elevate your automotive maintenance experience.

Our range includes a Rolling Utility Seat / Garage Creeper, a Jack Lift, and a Set of Jack Stands, all meticulously engineered to provide exceptional durability, safety, and performance. Whether you're a professional mechanic or a DIY enthusiast, garage equipment from Cat ensures optimal support, mobility,

and efficiency for all your automotive projects. With a relentless focus on quality and innovation, Caterpillar sets the standard for excellence in garage equipment, empowering you to tackle maintenance tasks with confidence and precision.

LET'S DO THE WORK.™

Cat Rolling Utility Seat + Jack Lift and Stand

CAT

JCS3167

Cat Garage Rolling Utility Seat with Detachable Sitting Creeper

Assembled Size: 100 x 44 x 39 cm 53 x 26 x 15 cm **Creeper Size:** Max. Load Seat: 150 kg Max. Load Creeper: 100 ka

Product features:

- » Removable top seat with soft cushion and 4 x 5 cm casters working as a sitting creeper
- >> 2 pcs removable side central trays, one on each side
- >> 1 pc easy-to-access clear tray under the seat
- >> 4 pcs heavy duty 10 cm dual color casters (2 with lock)

Materials:

- Frame: Steel (Q235), powder coated
- Body: PE, blowed
- Center Trav: PC
- Side Travs: PP
- Seat Cushion: PU, foamed - Creeper Body: PE, blowed
- Large Casters: PP and TPR
- Small Casters: PP



The Cat Rolling Utility Seat with Detachable Sitting Creeper offers a convenient solution for working in a comfortable seated position for extended periods. This 2-in-1 creeper rolling seat features a robust, steelframed design with a weight capacity of 150 kg, and it is equipped with four-inch wheels for easy mobility.

The seat includes under-seat storage with an open drawer and removable trays, allowing for the convenient transport of tools, spray bottles, or beverages. Additionally, the top seat can be removed to reveal a durable foam pad and caster wheels, transforming the unit into a sitting mini creeper with two-inch wheels and a weight capacity of up to 100 kg.

The Cat Utility Seat with Detachable Knee Creeper is designed for durability and versatility, making it an ideal choice for comfortable and efficient project completion.







980233

Cat 3-Ton Low Profile Service Jack

3 ton **Lift Capacity:** 7.6 - 49.5 cm Lift Range: **Dimensions:** excl. handle / 40.6 x 78.7 x 16.5 cm Weight: ca. 34,0 kg

Product features:

- Heavy-Duty: 3-Ton capacity lifts most passenger vehicles, light trucks and SUVs
- > Low Profile: Low profile design fits under vehicles as low as 3"/7,6 cm. Perfect for sports cars, lowered vehicles and classic restoration applications
- Max Height: 19.5"/59,5 cm max. lift height is perfect for use on full-size trucks and SUVs
- Convenience: Built-in foot pedal pump for quick and precise saddle positioning under vehicle
- Quick Lift: Dual piston quick lift pump makes positioning and lifting effortless and easy. Only 7 pumps to max lift height (unloaded)



980514


Cat 3-Ton Double Lock Jack Stands with Pin /1 Pair (2pcs)

3 ton Lift Capacity: Lift Range: 29.9 - 42.9 cm **Dimensions:** 20.5 x 19 x 28.6 cm Weight: pr. pcs approx. 3,2 kg









IF YOU DON'T WANT IT MOVE... STRAP IT!

Tie Down Straps

Cat Heavy Duty Tie Down Straps, the ultimate solution for securing your cargo with unmatched reliability and convenience.

Our range offers three types of Straps:
Stretch Cord Straps, Cam Buckle Straps and Ratchet
Tie Down Straps, which by far are the strongest.

Both the Cam Buckle and Ratchet Tie Down Straps are extra wide with reinforced edges for added durability providing a robust and dependable means of securing your cargo. The built-in PE-coated hooks are designed to prevent scratches or damage to both your cargo and your vehicle, ensuring a worry-free transport experience.

These straps are perfect for a wide range of applications, and you can travel with confidence, knowing that your cargo is securely fastened every time.

The oversize rubber coated ratchet handle or the comfort, rubber thump grip on the cam buckle are not onlyergonomic and comfortable but also provides non-slip gripping action, giving you complete control over the tightening process. With a quick-release feature the these Straps offer rapid and effortless unloading, saving you valuable time and effort.

980488IE

Cat Cam Buckle Set -2 pcs / 2,5 cm x 3,0 m

| Strap Length: | 300 cm |
|-------------------|--------|
| Strap Width: | 2,5 cm |
| Lashing Capacity: | 180 kg |
| Breaking Strengh: | 360 kg |
| Hook Type: | S Hook |

Product features:

- >> With S Hook under PE coating
- >> Yellow strap with black Cat logo printed

This 2pcs set features 3 m long and 2,5 cm wide straps with 180 kg lashing capacity / 360 kg breaking strength and is designed and built to perform in the most demanding tasks and conditions.



980489IE

Cat Cam Buckle Set -2 pcs / 2,5 cm x 2,5 m

| Strap Length: | 250 cm |
|--------------------------|--------|
| Strap Width: | 2,5 cm |
| Lashing Capacity: | 250 kg |
| Breaking Strengh: | 500 kg |
| Hook Type: | S Hook |

Product features:

>> With S Hook under PE coating

This 2pcs set features 2,5 m long and

>> Yellow strap with black Cat logo printed

2,5 cm wide straps with 250 kg lashing capacity / 500 kg breaking strength and is designed and built to perform in the most demanding tasks and conditions. Not only do the cam buckle straps look good but these straps offer strength, performance and convenience. All Cat Tie Downs feature premium materials and construction to deliver consistent performance. Cat straps are purpose-built for a wide range of applications at work, at play and everywhere in between.



Rubber coated hooks help to prevent scratches, scuffs or other damage to both your cargo and your vehicle. They are perfect for moving furniture, securing sports gear, surfboards, bicycles, ATVs, motorcycles, mowers, lumber, crates and more. The feature soft rubber thumb grips for added comfort.

980479IE

Cat Ratchet Tie Down Set -2 pcs / 2,5 cm x 5,0 m

Cat Tie Down Straps

| Strap Length: | 500 cm |
|--------------------------|--------|
| Strap Width: | 2,5 cm |
| Lashing Capacity: | 320 kg |
| Breaking Strengh: | 640 kg |
| Hook Type: | S Hook |

Product features:

- With S Hook under PE coating
- >> Yellow strap with black Cat logo printed
- » Quick-release feature

This 2pcs set features 5 m long and 2,5 cm wide straps with 320 kg lashing capacity / 640 kg breaking strength and is designed and built to perform in the most demanding tasks and conditions.

980491IE

Cat Ratchet Tie Down Set -2 pcs / 2,5 cm x 5,0 m

| Strap Length: | 500 cm |
|--------------------------|---------------|
| Strap Width: | 2,5 cm |
| Lashing Capacity: | 500 kg |
| Breaking Strengh: | 1.000 kg |
| Hook Type: | Double J Hook |

Product features:

- » Double J Hook under PE coating
- >> Yellow strap with black Cat logo printed



This 2pcs set features 5 m long and 2,5 cm wide straps with 500 kg lashing capacity / 1.000 kg breaking strength and is designed and built to perform in the most demanding tasks and conditions.











47

LET'S DO THE WORK.

980503IE

Cat Flat Safety Stretch Cord Set -2 pcs / 40 cm

Strap Length: 40 cm Strap Width: 18 mm Lashing Capacity: 30 kg

Yellow Color: **Hook Type:** J Hook

Product features:

- » J Hook With Cat logo
- >> With Safety Finger Hook

980504IE

Cat Flat Safety Stretch Cord Set -2 pcs / 60 cm

60 cm Strap Length: 18 mm Strap Width: Lashing Capacity: 30 kg Yellow

Product features:

- » J Hook With Cat logo
- >> With Safety Finger Hook

980505IE

Cat Flat Safety

2 pcs / 80 cm

Strap Length:

Strap Width:

Color:

Hook Type:

Product features:

J Hook With Cat logo

With Safety Finger Hook

Stretch Cord Set -

Lashing Capacity: 30 kg

80 cm

18 mm

Yellow

J Hook

J Hook **Hook Type:**

980506IE

Cat Flat Safety Stretch Cord Set -2 pcs / 100 cm

100 cm Strap Length: Strap Width: 18 mm

Lashing Capacity: 30 kg

Yellow Color: **Hook Type:** J Hook

Product features:

- J Hook With Cat logo
- With Safety Finger Hook

Securing your cargo while on the move is critical for safety and peace of mind. Whether you have one item or several, the various lengths of these Stretch Cords will have the right size bungee strap to secure your payload on or outside your vehicle, motorcycle, boat, or other applications.

The innovative flat 18 mm wide bungee strap elastic surface area is specially designed to distribute retaining pressure evenly across your cargo. This prevents denting or cutting into objects and expensive equipment while still securely holding the cargo.

The plastic-coated steel hooks designed to prevent movement also protect your vehicle, motorcycle, or boat at attachment points. While the included finger hook safely maximizes your pull strength to confidently secure your payload. The bungees are UV and weather resistant allowing for a long outdoor life.



980540

Cat Flat Safety Stretch Cord Set -8 pcs Jar / 40 and 80 cm

Cat Tie Down Straps


| Strap Length: | 4x40 + 4x80 cm |
|--------------------------|----------------|
| Strap Width: | 18 mm |
| Lashing Capacity: | 30 kg |
| Color: | Yellow |
| Hook Type: | J Hook |
| | |

Product features:

- » All straps stored in a practical jar
- >> J Hook With Cat logo + Safety Finger Hook







CAT